UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,446	08/30/2006	Yasuharu Onishi	NEC 04P302	5323
27667 HAYES SOLO	7590 07/31/200 WAY P.C.	9	EXAMINER	
3450 E. SUNRI	SE DRIVE, SUITE 14		ELBIN, JESSE A	
TUCSON, AZ 85718			ART UNIT	PAPER NUMBER
			2614	
			MAIL DATE	DELIVERY MODE
			07/31/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/598,446	ONISHI ET AL.
Office Action Summary	Examiner	Art Unit
	JESSE A. ELBIN	2614
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPOWHICHEVER IS LONGER, FROM THE MAILING IT Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be ti d will apply and will expire SIX (6) MONTHS from tte, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>09</u> 2a) This action is FINAL . 2b) Th Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4) Claim(s) 1-12 is/are pending in the applicatio 4a) Of the above claim(s) 4-6 is/are withdrawn 5) Claim(s) is/are allowed. 6) Claim(s) 1-3 and 7-12 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examin 10) The drawing(s) filed on 30 August 2006 is/are Applicant may not request that any objection to the	n from consideration. for election requirement. her. e: a)⊠ accepted or b)□ objected	•
Replacement drawing sheet(s) including the corre		•
11) The oath or declaration is objected to by the E	exammer. Note the attached Office	e Action of Ionn P10-152.
Priority under 35 U.S.C. § 119 12) △ Acknowledgment is made of a claim for foreig a) △ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documer 2. ☐ Certified copies of the priority documer 3. △ Copies of the certified copies of the pri application from the International Bure: * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate

Application/Control Number: 10/598,446 Page 2

Art Unit: 2614

DETAILED ACTION

Response to Amendment

1. The amendment filed June 15, 2009 has been entered.

Election/Restrictions

- 2. Applicant's election without traverse of Species III in the reply filed on 7 November 2008 is acknowledged.
- 3. Claims 4-6 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-3 and 8-12 rejected under 35 U.S.C. 103(a) as being unpatentable over Christensen (US Patent 5,062,139 ('139)) (already of record) in view of Williams (US Patent 2,284,462 ('462)) (already of record).

Regarding claim 1. Christensen teaches a piezoelectric acoustic element (Fig. 1A) using a piezoelectric element as a vibration source ("the piezo-electric bi-morph driver of the tweeter assembly"; '139 col. 4 lines 52-53), comprising: a hollow casing (e.g. Fig. 3B #16) having at least one opening (Fig. 3B at #40) and a side wall (Fig. 3B #16); a diaphragm provided at the opening of said casing (Fig. 3B #38); said side wall extending in a direction normal to a plane of the opening (wherein the sidewall is illustrated as extending vertically, and the "plane of the opening" is illustrated as extending horizontally) and normal to a surface of the diaphragm (e.g. the surface at Fig. 3B #42 is illustrated as being parallel to the "plane of the opening"); and a piezoelectric element (Fig. 3B #36) that is disposed in said casing (Fig. 3B), and attached at one end of said piezoelectric element in a longitudinal direction (Fig. 3B illustrates the piezoelectric element #36 being attached at both ends) to said side wall (#16) of said casing by a support member (Fig. 3B #32) for pivotal movement with respect to said support member about an axis through said support member, and that bends about said axis when a voltage is applied thereto ("the bi-morph disc will bend (flex) during excitation and any vibrations will be propagated [sic] outward of the center through the tweeter diaphragm"; '139 col. 5 lines 1-4).

Christensen does not explicitly teach said piezoelectric element and said diaphragm are joined through a vibration transmitting member.

In the same field of endeavor, Williams teaches said piezoelectric element (e.g. Fig. 8 #2) and said diaphragm (e.g. Fig. 8 #7) are joined through a vibration transmitting member (Fig. 8 #6) for the benefit of increasing "the ratio of acoustic output to applied voltage" ('462 p. 2 col. 1 lines 27-28).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the piezoelectric-to-diaphragm connection taught by Christensen by using the transmitting member taught by Williams for the benefit of increasing the ratio of acoustic output to voltage input.

Regarding claim 2, the combination of Christensen and Williams remains as applied above.

Christensen further teaches both ends of said piezoelectric element (Fig. 3B #36) in a longitudinal direction (i.e. horizontal as illustrated) are fixed to an inner surface of said side wall (Fig. 3B #16) of said casing through a respective support member (Fig. 3B #32).

Regarding claim 3, the combination of Christensen and Williams remains as applied above.

Williams further teaches said support member being elastic ("small blocks 3, 3 of soft material such as viscoloid or rubber"; col. 2 lines 18-19) for the benefits suggested

by Christensen ("the addition of the bi-morph disc coupling ring gives the engineer more opportunities to control the resonances of the bi-morph discs themselves, which results in a smoother and leas 'peaked' frequency response"; '139 col. 19 lines 23-27).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use a "viscoloid or rubber" support member as taught by Williams as the support ring taught by Christensen for the benefit of creating a smoother and less peaked frequency response.

Regarding claim 8, the combination of Christensen and Williams remains as applied above.

Williams further teaches said vibration transmitting member (Fig. 8 #6) being a spring ("ring 6 [is made] of yielding vibration conductive material such as viscoloid or rubber"; col. 3 lines 8-10).

Regarding claim 9, the combination of Christensen and Williams remains as applied above.

Neither Christensen nor Williams explicitly teaches said diaphragm being formed of a film selected from the group [consisting] of a polyethylene terephthalate film, a polyethersulfone film, a polyester film, and a polypropylene film.

Williams does teach the diaphragm being made "of suitable material such as Celluloid, aluminum, Bakelite, or mica" (col. 3 lines 10-12) wherein 'Bakelite' and 'Celluloid' are obsolete moldable resin materials, which were seldomly used at the time

of the invention. Aluminum and mica diaphragms are still used for their weather resistance and specific acoustic properties. As Williams does not limit the diaphragm to an exhaustive list of materials, and states that the diaphragm can be made "of suitable material"; one of ordinary skill in the art at the time of the invention would know to use a more modern "suitable material" as the diaphragm taught by Williams.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the material used by Williams as the diaphragm to use a more modern thermoplastic resin material with the specific acoustic properties required by the design specifications.

Regarding claim 10, the combination of Christensen and Williams remains as applied above.

Christensen further teaches an acoustic device (Fig. 1A) provided with the piezoelectric acoustic element according to claim 1 (*supra*).

Regarding claim 11, the combination of Christensen and Williams remains as applied above.

Examiner takes official notice that use of acoustic devices, including those made of piezoelectric acoustic elements, in "a portable terminal device" is well known in the art. While Christensen teaches a coaxial loudspeaker, wherein the piezoelectric element is meant to drive a 'tweeter' using the existing space within a louder loudspeaker, one of ordinary skill in the art could easily, with a minimal amount of

experimentation, incorporate the coaxial loudspeaker taught by the combination of Christensen and Williams into, e.g. a public address system, which are commonly "portable".

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the loudspeaker taught by the combination of Christensen and Williams in a portable terminal as is well known in the art.

Regarding claim 12, the combination of Christensen and Williams remains as applied above.

Williams further teaches said vibration transmitting member (Fig. 8 #6) being elastic ("ring 6 [is made] of yielding vibration conductive material such as viscoloid or rubber"; col. 3 lines 8-10).

4. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Christensen (US Patent 5,062,139 ('139)) (already of record) in view of Williams (US Patent 2,284,462 ('462)) (already of record), as applied to claim 1 above, and further in view of Sawyer (US Patent Re 20,213 ('213)) (already of record).

Regarding claim 7, the combination of Christensen and Williams remains as applied above.

Williams further teaches use of a "piezoelectric bimorph unit 2...such as is disclosed in United States Letters Patent Reissue 20,213" (col. 2 lines 15-17).

In the same field of endeavor, Sawyer teaches a piezoelectric element having a laminated structure (e.g. Fig. 4) in which conductive layers (electrodes; e.g. Fig. 4 325-26) and piezoelectric material layers (crystal portions; e.g. Fig. 4 #17-18) are alternately laminated (e.g. Fig. 4) for the benefit of increasing the flexure of the piezoelectric element.

It would have been obvious to one of ordinary skill in the art at the time of the invention to use a multi-layer piezoelectric element as taught by Sawyer in the acoustic device taught by the combination of Christensen and Williams for the benefit of increasing the flexure of the piezoelectric element.

Response to Arguments

- 5. Applicant's arguments with respect to claims 1-12 have been considered but are moot in view of the new ground(s) of rejection.
- 4. Applicant's arguments regarding the double patenting rejection, filed June 15, 2009 have been fully considered and are persuasive. The double patenting rejection of claims 1-3 and 7-12 has been withdrawn.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JESSE A. ELBIN whose telephone number is (571)270-3710. The examiner can normally be reached on Monday through Friday, 9:00am to 6:00pm EDT.

Application/Control Number: 10/598,446 Page 9

Art Unit: 2614

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on (571) 272-7499. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. A. E./
Examiner, Art Unit 2614
/CURTIS KUNTZ/
Supervisory Patent Examiner, Art Unit 2614